

2005

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Special Locality Report

134

City of Virginia Beach

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
							From: NCL Chesapeake										
13 Military Highway	City of Virginia Beach	0.67	32000	G	97%	0%	1%	0%	1%	0%	C	0.104	F	0.6	35000	G	
							To: Indian River Rd										
13 Military Highway	City of Virginia Beach	1.02	48000	G	98%	0%	1%	1%	1%	0%	F	0.107	F	0.586	53000	G	
							From: SCL Norfolk										
							From: NCL Norfolk										
13 166 Northampton Blvd	City of Virginia Beach	0.95	64000	G	96%	0%	1%	0%	2%	0%	F	0.077	F	0.529	67000	G	
							To: SR 166 Diamond Springs Rd										
13 Northampton Blvd	City of Virginia Beach	2.14	39000	A	96%	0%	1%	0%	2%	0%	C	0.093	A	0.651	40000	A	
							From: SR 225 Independence Blvd										
13 Northampton Blvd	City of Virginia Beach	1.19	26000	G	96%	0%	1%	0%	2%	0%	F	0.079	F	0.636	27000	G	
							To: US 60 Shore Dr										
13 Northampton Blvd	City of Virginia Beach	0.78	11000	G	96%	0%	1%	0%	2%	0%	F	0.072	F	0.502	12000	G	
							To: NCL Virginia Beach										
							From: ECL Norfolk; Newtown Rd										
58 Virginia Beach Blvd	City of Virginia Beach	1.33	43000	G	99%	0%	1%	0%	0%	0%	C	0.09	F	0.511	43000	G	
							To: SR 190 Witchduck Rd										
58 Virginia Beach Blvd	City of Virginia Beach	1.11	37000	G	99%	0%	1%	0%	0%	0%	F	0.089	F	0.539	37000	G	
							To: SR 225 Independence Blvd										
58 Virginia Beach Blvd	City of Virginia Beach	2.18	47000	G	99%	0%	1%	0%	0%	0%	F	0.09	F	0.588	46000	G	
							To: Rosemont Rd										
58 Virginia Beach Blvd	City of Virginia Beach	0.41	54000	G	98%	1%	1%	0%	0%	0%	F	0.086	F	0.531	54000	G	
							To: Plaza Trail North										
58 Virginia Beach Blvd	City of Virginia Beach	1.37	44000	G	98%	1%	1%	0%	0%	0%	C	0.092	F	0.577	43000	G	
							To: Lynnhaven Pkwy										
58 Virginia Beach Blvd	City of Virginia Beach	1.06	58000	G	99%	0%	0%	0%	0%	0%	F	0.079	F	0.539	58000	G	
							To: SR 279 Great Neck Rd										
58 Virginia Beach Blvd	City of Virginia Beach	0.14	33000	G	99%	0%	0%	0%	0%	0%	F	0.083	F	0.558	33000	G	
							To: BUS US 58; Va Beach Blvd										
58 Laskin Rd	City of Virginia Beach	1.47	30000	A	99%	0%	0%	0%	0%	0%	C	0.095	A	0.557	31000	A	
							To: First Colonial Rd										
58 Laskin Rd	City of Virginia Beach	1.53	32000	G	99%	0%	1%	0%	0%	0%	C	0.079	F	0.517	32000	G	
							To: Birdneck Rd										
58 Laskin Rd	City of Virginia Beach	0.97	27000	G	99%	0%	1%	0%	0%	0%	F	0.078	F	0.507	27000	G	
							To: US 60 Pacific Ave										
							From: US 58 Laskin Rd										
Bus 58 Virginia Beach Blvd	City of Virginia Beach	1.40	35000	G	98%	1%	1%	0%	0%	0%	F	0.075	F	0.63	38000	G	
							To: First Colonial Rd										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 58 Virginia Beach Blvd	From: First Colonial Rd To: Oceana Blvd City of Virginia Beach	0.44	20000	G	98%	1%	1%	0%	0%	0%	F	0.073	F	0.522	20000	G
Bus 58 Virginia Beach Blvd	From: Birdneck Rd To: Atlantic Ave City of Virginia Beach	1.17	13000	G	98%	1%	1%	0%	0%	0%	C	0.073	F	0.532	13000	G
60 Shore Dr	From: ECL Norfolk To: SR 166 Diamond Springs Rd City of Virginia Beach	0.22	32000	G	99%	0%	0%	0%	0%	0%	F	0.085	F	0.551	34000	G
60 Shore Dr	From: SR 225 Independence Blvd To: US 13 Northampton Blvd City of Virginia Beach	1.81	26000	G	99%	0%	0%	0%	0%	0%	F	0.089	F	0.539	28000	G
60 Shore Dr	From: US 13 Northampton Blvd To: Bay Lake Rd City of Virginia Beach	1.05	17000	G	99%	0%	0%	0%	0%	0%	F	0.088	F	0.617	18000	G
60 Shore Dr	From: Bay Lake Rd To: SR 279 Great Neck Road City of Virginia Beach	0.66	39000	A	99%	0%	0%	0%	0%	0%	C	0.099	A	0.626	41000	A
60 Shore Dr	From: SR 279 Great Neck Road To: Coast Artillery Road City of Virginia Beach	2.60	38000	G	99%	0%	0%	0%	0%	0%	F	0.087	F	0.609	40000	G
60 Shore Dr	From: Coast Artillery Road To: Atlantic Ave City of Virginia Beach	1.18	13000	G	99%	0%	0%	0%	0%	0%	F	0.080	F	0.508	14000	G
60 Atlantic Ave	From: Atlantic Ave To: 83rd Street City of Virginia Beach	3.58	11000	G	99%	0%	0%	0%	0%	0%	F	0.082	F	0.52	12000	G
60 Atlantic Ave	From: 83rd Street To: 50th St City of Virginia Beach	2.07	16000	G	99%	0%	0%	0%	0%	0%	F	0.079	F	0.501	17000	G
60 Pacific Ave	From: 50th St To: Pacific Ave City of Virginia Beach	0.39	20000	G	99%	0%	0%	0%	0%	0%	F	0.073	F	0.505	21000	G
60 Pacific Ave	From: Pacific Ave To: Atlantic Ave City of Virginia Beach	0.93	25000	G	99%	0%	0%	0%	0%	0%	F	0.081	F	0.525	27000	G
60 Pacific Ave	From: Atlantic Ave To: US 58 Laskin Rd City of Virginia Beach	0.65	18000	G	99%	0%	0%	0%	0%	0%	F	0.068	F	0.518	19000	G
60 Pacific Ave	From: US 58 Laskin Rd To: 22nd St City of Virginia Beach	0.34	19000	G	99%	0%	0%	0%	0%	0%	F	0.072	F	0.513	20000	G
60 Atlantic Avenue	From: 22nd St To: 17th St City of Virginia Beach	0.34	19000	G	99%	0%	0%	0%	0%	0%	F	0.072	F	0.513	20000	G
60 Atlantic Avenue	From: 17th St To: 5th Street City of Virginia Beach	1.15	7000	G	98%	0%	1%	0%	1%	0%	F	0.085	F	0.51	7600	G

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 64	From: ECL Norfolk															
	City of Virginia Beach (Maint: 64)	1.35	67000	F	96%	0%	0%	1%	2%	0%	C	0.111	B	68000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		137000	F	97%	0%	0%	1%	2%	0%	F	NA		138000	F	
East 64	From: Indian River Rd															
	City of Virginia Beach (Maint: 64)	1.57	65000	F	96%	0%	0%	1%	2%	0%	F	0.094	B	64000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		127000	F	97%	0%	0%	1%	2%	0%	F	0.086	F	0.509	126000	F
West 64	From: ECL Norfolk															
	City of Virginia Beach (Maint: 64)	1.75	70000	F	97%	0%	0%	1%	2%	0%	F	0.083	F	70000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		137000	F	97%	0%	0%	1%	2%	0%	F	NA		138000	F	
West 64	From: Indian River Rd															
	City of Virginia Beach (Maint: 64)	1.17	61000	F	97%	0%	0%	1%	2%	0%	C	0.086	F	61000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		127000	F	97%	0%	0%	1%	2%	0%	F	0.086	F	0.509	126000	F
149 Princess Anne Rd	From: SR 165; N Landing Rd															
	City of Virginia Beach	1.92	23000	G	97%	0%	1%	1%	0%	0%	C	0.078	F	0.507	25000	G
165 North Landing Rd	From: ECL Chesapeake															
	City of Virginia Beach	1.49	10000	G	98%	0%	2%	0%	0%	0%	F	0.101	F	0.625	11000	G
165 North Landing Rd	From: 134-8667 Salem Rd															
	City of Virginia Beach	2.64	11000	G	98%	0%	2%	0%	0%	0%	C	0.092	F	0.619	12000	G
165 Princess Anne Rd	From: SR 149 Princess Anne Rd															
	City of Virginia Beach	2.68	21000	G	98%	0%	2%	0%	0%	0%	F	0.086	F	0.65	23000	G
165 Princess Anne Rd	From: Dam Neck Rd															
	City of Virginia Beach	2.34	51000	G	98%	1%	1%	0%	0%	0%	C	0.083	F	0.526	56000	G
165 Princess Anne Rd	From: Ferrell Parkway															
	City of Virginia Beach	0.69	33000	G	98%	1%	1%	0%	0%	0%	F	0.089	F	0.611	36000	G
165 Princess Anne Rd	From: 134-8640 Providence Rd															
	City of Virginia Beach	1.07	25000	G	98%	1%	1%	0%	0%	0%	F	0.087	F	0.594	28000	G
165 Princess Anne Rd	From: 134-7837 Edwin Dr															
	City of Virginia Beach	1.19	32000	G	98%	1%	1%	0%	0%	0%	F	0.088	F	0.63	35000	G
165 Princess Anne Rd	From: SR 190 Kempsville Rd															
	City of Virginia Beach	1.62	25000	G	99%	0%	1%	0%	0%	0%	C	0.09	F	0.626	28000	G
165 Princess Anne Rd	From: 134-8730 Cheyenne Rd															
	City of Virginia Beach	0.31	27000	G	99%	0%	1%	0%	0%	0%	F	0.087	F	0.649	29000	G
166 13 Northampton Blvd	From: ECL Norfolk; Newtown Rd															
	City of Virginia Beach	0.95	64000	G	96%	0%	1%	0%	2%	0%	F	0.077	F	0.529	67000	G
	To: US 13; Diamond Springs Rd															

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
166 Diamond Springs Rd	From:	US 13 Northampton Blvd														
	City of Virginia Beach	1.32	27000	G	97%	1%	1%	0%	1%	0%	C	0.082	F	0.605	30000	G
190 Kempsville Rd	From:	ECL Chesapeake														
	City of Virginia Beach	1.00	28000	G	99%	0%	0%	0%	0%	0%	F	0.098	F	0.55	31000	G
190 Kempsville Rd	From:	Centerville Tpke														
	City of Virginia Beach	1.52	34000	G	99%	0%	0%	0%	0%	0%	C	0.085	F	0.547	37000	G
190 Kempsville Rd	From:	Indian River Road														
	City of Virginia Beach	1.29	28000	G	99%	0%	1%	0%	0%	0%	F	0.086	F	0.565	31000	G
190 Kempsville Rd	From:	Providence Rd														
	City of Virginia Beach	0.98	31000	G	99%	0%	1%	0%	0%	0%	C	0.081	F	0.512	34000	G
190 Witchduck Rd	From:	SR 165 Princess Anne Rd														
	City of Virginia Beach	0.72	32000	G	97%	1%	1%	0%	1%	0%	F	0.074	F	0.575	35000	G
190 Witchduck Rd	From:	I-264														
	City of Virginia Beach	0.60	32000	G	97%	1%	1%	0%	1%	0%	C	0.081	F	0.503	35000	G
190 Witchduck Rd	From:	US 58 Virginia Beach Blvd														
	City of Virginia Beach	1.29	18000	G	99%	0%	0%	0%	0%	0%	F	0.086	F	0.560	20000	G
190 Pembroke Blvd	From:	134-8740 Jericho Rd														
	City of Virginia Beach	0.71	12000	G	99%	0%	0%	0%	0%	0%	C	0.087	F	0.539	13000	G
225 Independence Blvd	From:	SR 225 Independence Blvd														
	City of Virginia Beach	0.80	77000	G	98%	1%	0%	0%	0%	0%	F	0.082	F	0.534	84000	G
225 Independence Blvd	From:	US 58 Virginia Beach Blvd														
	City of Virginia Beach	1.35	52000	A	98%	1%	0%	0%	0%	0%	C	0.095	A	0.533	56000	A
225 Independence Blvd	From:	Pembroke Blvd														
	City of Virginia Beach	0.91	49000	G	98%	1%	0%	0%	0%	0%	F	0.082	F	0.567	53000	G
225 Independence Blvd	From:	Haygood Rd														
	City of Virginia Beach	1.81	41000	G	98%	1%	0%	0%	0%	0%	F	0.082	F	0.578	44000	G
225 Independence Blvd	From:	US 13 Northampton Blvd														
	City of Virginia Beach	0.53	23000	G	98%	1%	0%	0%	0%	0%	F	0.089	F	0.665	25000	G
East 264 Virginia Beach Norfolk Expwy	From:	US 60 Shore Dr														
	City of Virginia Beach (Maint: 75)	1.40	96000	G	95%	0%	1%	1%	3%	0%	F	0.085	F		105000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			1.99000	G	95%	0%	1%	1%	3%	0%	F	NA		216000	G	
East 264 Virginia Beach Norfolk Expwy	From:	SR 190 Witchduck Rd														
	City of Virginia Beach (Maint: 75)	1.28	99000	F	98%	0%	0%	1%	1%	0%	C	0.095	F		99000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			1.97000	F	98%	0%	1%	0%	1%	0%	C	0.082	F	0.574	197000	F
264 Virginia Beach Norfolk Expwy	From:	SR 225 Independence Blvd														
	City of Virginia Beach (Maint: 75)	1.28	99000	F	98%	0%	0%	1%	1%	0%	C	0.082	F	0.574	197000	F

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 264	From: SR 225 Independence Blvd Virginia Beach Norfolk Expwy City of Virginia Beach (Maint: 75)	2.34	78000	F	95%	0%	1%	1%	3%	0%	F	0.092	B	78000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		161000	G	95%	0%	1%	1%	3%	0%	F	NA		168000	G	
East 264	From: Rosemont Rd Virginia Beach Norfolk Expwy City of Virginia Beach (Maint: 75)	1.84	67000	F	95%	0%	1%	1%	3%	0%	F	0.084	F	68000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		138000	F	95%	0%	1%	1%	3%	0%	F	0.081	F	0.587	139000	F
East 264	From: Lynnhaven Pkwy Virginia Beach Norfolk Expwy City of Virginia Beach (Maint: 75)	1.17	56000	G	95%	0%	1%	1%	3%	0%	F	0.085	F	61000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		106000	G	95%	0%	1%	1%	3%	0%	F	NA		115000	G	
East 264	From: US 58 Virginia Beach Blvd Virginia Beach Norfolk Expwy City of Virginia Beach (Maint: 75)	1.42	34000	G	95%	0%	1%	1%	3%	0%	F	0.082	F	37000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		76000	G	95%	0%	1%	1%	3%	0%	F	NA		82000	G	
East 264	From: First Colonial Rd Virginia Beach Norfolk Expwy City of Virginia Beach (Maint: 75)	1.36	31000	G	95%	0%	1%	1%	3%	0%	F	0.087	F	34000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		62000	G	95%	0%	1%	1%	3%	0%	F	NA		68000	G	
East 264	From: Birdneck Rd Virginia Beach Norfolk Expwy City of Virginia Beach (Maint: 75)	0.64	15000	G	95%	0%	1%	1%	3%	0%	F	0.082	F	17000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		26000	G	95%	0%	1%	1%	3%	0%	F	NA		28000	G	
West 264	From: ECL Norfolk Virginia Beach Norfolk Expwy City of Virginia Beach (Maint: 75)	1.63	102000	G	95%	0%	0%	1%	3%	0%	F	0.091	F	111000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		199000	G	95%	0%	1%	1%	3%	0%	F	NA		216000	G	
West 264	From: SR 190 Witchduck Rd Virginia Beach Norfolk Expwy City of Virginia Beach (Maint: 75)	1.21	98000	F	98%	0%	1%	0%	1%	0%	C	0.097	F	98000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		197000	F	98%	0%	1%	0%	1%	0%	C	0.082	F	0.574	197000	F
West 264	From: SR 225 Independence Blvd Virginia Beach Norfolk Expwy City of Virginia Beach (Maint: 75)	2.74	84000	G	95%	0%	0%	1%	3%	0%	F	0.082	F	90000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		161000	G	95%	0%	1%	1%	3%	0%	F	NA		168000	G	
West 264	From: Rosemont Rd Virginia Beach Norfolk Expwy City of Virginia Beach (Maint: 75)	1.59	71000	F	95%	0%	0%	1%	3%	0%	F	0.094	B	71000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		138000	F	95%	0%	1%	1%	3%	0%	F	0.081	F	0.587	139000	F
West 264	From: Lynnhaven Pkwy Virginia Beach Norfolk Expwy City of Virginia Beach (Maint: 75)	1.35	50000	G	95%	0%	0%	1%	3%	0%	F	0.074	F	54000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		106000	G	95%	0%	1%	1%	3%	0%	F	NA		115000	G	
	To: US 58 Virginia Beach Blvd															

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 City of Virginia Beach

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 264	From: US 58 Virginia Beach Blvd City of Virginia Beach (Maint: 75)	1.19	42000	G	95%	0%	0%	1%	3%	0%	F	0.074	F	45000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		76000	G	95%	0%	1%	1%	3%	0%	F	NA		82000	G	
West 264	To: First Colonial Rd City of Virginia Beach (Maint: 75)	1.52	31000	G	95%	0%	0%	1%	3%	0%	F	0.074	F	34000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		62000	G	95%	0%	1%	1%	3%	0%	F	NA		68000	G	
West 264	To: Birdneck Rd City of Virginia Beach (Maint: 75)	0.66	11000	G	95%	0%	0%	1%	3%	0%	F	0.084	F	12000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		26000	G	95%	0%	1%	1%	3%	0%	F	NA		28000	G	
	To: Parks Ave															
279	From: US 58 Va Beach Blvd City of Virginia Beach	2.35	38000	G	99%	0%	1%	0%	0%	0%	F	0.083	F	41000	G	
279	To: First Colonial Rd City of Virginia Beach	0.99	41000	G	99%	0%	1%	0%	0%	0%	C	0.082	F	45000	G	
279	To: Shorehaven Dr City of Virginia Beach	1.42	35000	G	99%	0%	1%	0%	0%	0%	F	0.085	F	39000	G	
279	To: Adam Keeling Rd City of Virginia Beach	0.79	28000	G	99%	0%	1%	0%	0%	0%	F	0.086	F	30000	G	
	To: US 60 Shore Dr															

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(F143)	0.55	NA									NA			NA		
(1) Churchill Dr	0.58	4100	G	96%	1%	2%	0%	1%	0%	C	0.109	F	0.67	4500	G	2005
(4) Indian Creek Rd	2.42	410	G	97%	0%	1%	1%	1%	0%	F	0.124	F	0.580	450	G	2005
(5) Centerville Tnpk	0.95	18000	G	97%	0%	1%	1%	1%	0%	C	0.088	F	0.705	20000	G	2005
(6) Newcastle Rd	0.22	450	G	96%	1%	2%	0%	1%	0%	F	0.097	F	0.787	490	G	2005
(7) Indian River Rd	0.54	36000	G	98%	0%	1%	0%	1%	0%	F	0.086	F	0.531	39000	G	2005
(7) Indian River Rd	0.57	31000	G	98%	0%	1%	0%	1%	0%	F	0.090	F	0.639	34000	G	2005
(7) Indian River Rd	0.86	36000	G	98%	0%	1%	0%	1%	0%	F	0.079	F	0.560	39000	G	2005
(7) Indian River Rd	0.10	74000	G	98%	0%	1%	0%	1%	0%	F	0.075	F	0.677	81000	G	2005
(7) Indian River Rd	1.05	62000	G	98%	0%	1%	0%	1%	0%	C	0.072	F	0.605	67000	G	2005
(8) Diamond Springs Rd	1.63	20000	G	96%	1%	2%	0%	1%	0%	F	0.086	F	0.530	22000	G	2005
(9) First Colonial Rd	0.59	33000	G	99%	0%	1%	0%	0%	0%	F	0.072	F	0.546	36000	G	2005
(9) First Colonial Rd	1.97	40000	G	99%	0%	1%	0%	0%	0%	C	0.073	F	0.517	43000	G	2005
(10) Providence Rd	0.74	17000	G	98%	1%	1%	0%	0%	0%	F	0.085	F	0.552	18000	G	2005
(10) Providence Rd	2.28	23000	G	98%	1%	1%	0%	0%	0%	C	0.108	F	0.642	25000	G	2005
(11) Independence Blvd Sout	0.79	81000	G	99%	0%	1%	0%	0%	0%	F	0.082	F	0.651	89000	G	2005
(12) Holland Rd	0.47	42000	G	99%	0%	1%	0%	0%	0%	C	0.072	F	0.594	46000	G	2005
(12) Holland Rd	1.31	40000	G	99%	0%	1%	0%	0%	0%	F	0.083	F	0.596	43000	G	2005
(12) Holland Rd	1.14	34000	G	99%	0%	1%	0%	0%	0%	F	0.074	F	0.516	37000	G	2005
(12) Holland Rd	0.64	33000	G	99%	0%	1%	0%	0%	0%	F	0.079	F	0.525	36000	G	2005
(12) Holland Rd	0.43	27000	G	99%	0%	1%	0%	0%	0%	C	0.074	F	0.552	30000	G	2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(12) Holland Rd	2.82	11000	G	99%	0%	1%	0%	0%	0%	F	0.081	F	0.551	12000	G	2005
(13) Rosemont Rd	1.17	31000	G	99%	0%	1%	0%	0%	0%	C	0.083	F	0.572	34000	G	2005
(13) Rosemont Rt	0.74	33000	G	99%	0%	1%	0%	0%	0%	F	0.07	F	0.567	36000	G	2005
(14) Lynnhaven Pkwy	1.57	35000	G	98%	0%	1%	0%	1%	0%	F	0.076	F	0.575	38000	G	2005
(14) Lynnhaven Pkwy	1.17	44000	G	98%	0%	1%	0%	1%	0%	C	0.075	F	0.529	48000	G	2005
(14) Lynnhaven Pkwy	0.25	74000	G	98%	0%	1%	0%	1%	0%	F	0.086	F	0.535	81000	G	2005
(8578) 31st Street; Laskin Rd	0.06	7300	G	98%	0%	1%	0%	0%	0%	F	0.08	F	0.541	7900	G	2005
(8589) International Pkwy	1.01	14000	G	97%	0%	1%	1%	1%	0%	C	0.098	F	0.613	16000	G	2005
(8590) Indian River Rd	0.25	68000	G	95%	0%	1%	2%	1%	0%	F	0.076	F	0.58	75000	G	2005
(8590) Indian River Rd	1.60	15000	G	95%	0%	1%	2%	1%	0%	F	0.085	F	0.637	16000	G	2005
(8590) Indian River Rd	4.53	7100	G	95%	0%	1%	2%	1%	0%	F	0.088	F	0.577	7800	G	2005
(8590) Indian River Rd	4.78	6000	G	95%	0%	1%	2%	1%	0%	C	0.092	F	0.588	6600	G	2005
(8590) Indian River Rd	0.94	3000	G	95%	0%	1%	2%	1%	0%	F	0.091	F	0.576	3300	G	2005
(8612) Cleveland St	0.43	6900	G								0.103	F	0.732	7600	G	2005
(8612) Cleveland St	0.97	6800	G								0.094	F	0.567	7500	G	2005
(8612) Columbus St	0.22	8600	G								0.109	F	0.58	9400	G	2005
(8612) Columbus St	0.31	14000	G								NA			15000	G	2005
(8627) S Independence Blvd	2.71	12000	G	98%	0%	1%	0%	0%	0%	F	0.102	F	0.576	13000	G	2005
(8627) S Independence Blvd	0.55	27000	G	98%	0%	1%	0%	0%	0%	F	0.083	F	0.587	29000	G	2005
(8627) S Independence Blvd	1.55	27000	G	98%	0%	1%	0%	0%	0%	C	0.085	F	0.604	29000	G	2005
(8627) S Independence Blvd	0.73	33000	G	98%	0%	1%	0%	0%	0%	F	0.087	F	0.695	36000	G	2005
(8638) Wesleyan Dr	0.42	19000	G	99%	0%	0%	0%	0%	0%	F	0.086	F	0.706	20000	G	2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(8638) Wesleyan Dr	0.54	14000	G	99%	0%	0%	0%	0%	0%	C	0.091	F	0.662	15000	G	2005
			From: Baker Rd													
(8638) Wesleyan Dr	1.16	20000	G	99%	0%	0%	0%	0%	0%	F	0.093	F	0.629	22000	G	2005
			From: Diamond Springs Rd													
			To: Haygood Dr													
(8638) Haygood Rd	1.08	15000	G	99%	0%	0%	0%	0%	0%	F	0.088	F	0.543	17000	G	2005
			From: Wesleyan Dr													
(8638) Wishart Rd	0.77	1200	G	99%	0%	0%	0%	0%	0%	F	0.105	F	0.627	1300	G	2005
			From: SR 225 Independence Blvd													
			To: Witchduck Rd													
(8640) Providence Rd	0.09	13000	G	99%	0%	1%	0%	0%	0%	F	0.098	F	0.527	14000	G	2005
			From: JB-75-64 ECL Chesapeake													
			To: US 13 Gap Terminus													
(8640) Providence Rd	2.03	12000	G	99%	0%	1%	0%	0%	0%	F	0.096	F	0.560	14000	G	2005
			From: Kempsville Rd													
			To: Princess Anne Rd													
(8651) Baker Rd	1.73	6000	G	99%	0%	1%	0%	0%	0%	C	0.093	F	0.649	6600	G	2005
			From: Newtown Rd													
			To: US 13 Northampton Blvd													
(8652) Burton Station Rd	0.75	3600	G	99%	0%	1%	0%	0%	0%	F	0.094	F	0.806	4000	G	2005
			From: ECL Norfolk													
			To: US 13 Northampton Blvd													
(8661) Centerville TnPk	0.40	7800	G	97%	0%	1%	1%	1%	0%	F	0.087	F	0.624	8500	G	2005
			From: ECL Chesapeake													
			To: Lynnhaven Pkwy													
(8661) Centerville TnPk	1.63	18000	G	97%	0%	1%	1%	1%	0%	F	0.085	F	0.647	20000	G	2005
			From: Lynnhaven Pkwy													
			To: Jake Sears Rd													
(8661) Regent University Dr	1.16	3000	G	99%	0%	0%	0%	0%	0%	C	0.107	F	0.709	3300	G	2005
			From: Jake Sears Rd													
			To: Indian River Rd													
(8667) Blackwater Rd	2.89	830	G	92%	0%	1%	6%	1%	0%	F	0.09	F	0.729	910	G	2005
			From: North Carolina Line													
			To: Indian Creek Rd													
(8667) Blackwater Rd	1.91	1400	G	92%	0%	1%	6%	1%	0%	F	0.086	F	0.698	1600	G	2005
			From: Indian Creek Rd													
			To: Pungo Ferry Rd													
(8667) Blackwater Rd	4.43	2200	G	92%	0%	1%	6%	1%	0%	C	0.1	F	0.743	2400	G	2005
			From: Pungo Ferry Rd													
			To: ECL Chesapeake													
(8667) Salem Rd	1.24	5600	G	92%	0%	1%	6%	1%	0%	F	0.110	F	0.653	6200	G	2005
			From: ECL Chesapeake													
			To: N Landing Rd													
(8667) Salem Rd	1.33	4700	G	99%	0%	1%	0%	0%	0%	F	0.099	F	0.583	5100	G	2005
			From: N Landing Rd													
			To: Landstown Rd													
(8667) Salem Rd	1.49	14000	G	99%	0%	1%	0%	0%	0%	C	0.094	F	0.611	16000	G	2005
			From: Landstown Rd													
			To: Elbow Rd													
(8667) Salem Rd	0.77	12000	G	99%	0%	1%	0%	0%	0%	F	0.095	F	0.661	14000	G	2005
			From: Elbow Rd													
			To: Lynnhaven Pkwy													
(8668) Head of River Rd	2.05	580	G	93%	0%	1%	4%	1%	0%	F	0.108	F	0.561	640	G	2005
			From: Lynnhaven Pkwy													
			To: SR 165 Princess Anne Rd													
(8669) Princess Anne Rd	5.72	3100	G	93%	0%	1%	4%	1%	0%	F	0.084	F	0.627	3400	G	2005
			From: SR 165 Princess Anne Rd													
			To: North Carolina State Line													
(8669) Princess Anne Rd	7.66	6200	G	93%	0%	1%	4%	1%	0%	C	0.088	F	0.626	6800	G	2005
			From: North Carolina State Line													
			To: Pungo Ferry Rd													
(8669) Princess Anne Rd	0.53	10000	G	93%	0%	1%	4%	1%	0%	F	0.093	F	0.548	11000	G	2005
			From: Pungo Ferry Rd													
			To: Indian River Rd													
			To: Flannagans Lane													

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(8669) General Booth Blvd	4.69	32000	G	93%	0%	1%	4%	1%	0%	F	0.074	F	0.533	35000	G	2005
						From: Princess Anne Rd										
						To: Dam Neck Rd										
(8669) General Booth Blvd	0.58	58000	G	98%	0%	1%	0%	1%	0%	F	0.078	F	0.563	64000	G	2005
						From: Prosperity Rd										
						To: Birdneck Rd										
(8669) General Booth Blvd	1.18	34000	G	98%	0%	1%	0%	1%	0%	C	0.079	F	0.54	37000	G	2005
						From: 5Th St										
(8669) Pacific Avenue	0.27	22000	G	98%	0%	1%	0%	1%	0%	F	0.078	F	0.521	24000	G	2005
						From: 9th St										
(8669) Pacific Avenue	0.55	21000	G	99%	0%	0%	0%	0%	0%	F	0.075	F	0.537	23000	G	2005
						From: 17th St										
						To: Shore Dr										
(8669) Atlantic Ave	0.44	3500	G	98%	0%	1%	0%	1%	0%	F	0.080	F	0.535	3800	G	2005
						From: 89th St										
(8670) Pungo Ferry Rd	2.78	2800	G	99%	0%	1%	0%	0%	0%	F	0.094	F	0.503	3100	G	2005
						From: Blackwater Rd										
						To: Princess Anne Rd										
(8671) Sandpiper Rd	0.67	1200	G	98%	0%	1%	0%	0%	0%	F	0.102	F	0.52	1300	G	2005
						From: Dead End										
(8671) Sandpiper Rd	1.49	2000	G	98%	0%	1%	0%	0%	0%	C	0.094	F	0.577	2200	G	2005
						From: White Cap Lane										
(8671) Sandpiper Rd	2.04	4700	G	98%	0%	1%	0%	0%	0%	F	0.092	F	0.556	5100	G	2005
						From: Pike Lane										
						To: Sandbridge Rd										
(8672) Mill Landing Rd	0.81	1200	G	99%	0%	1%	0%	0%	0%	F	0.11	F	0.605	1300	G	2005
						From: Princess Anne Rd										
						To: Nannys Creek Rd										
(8673) Morris Neck Rd	3.31	500	G	95%	1%	2%	2%	0%	0%	F	0.103	F	0.504	550	G	2005
						From: Princess Anne Rd										
						To: Mill Landing Rd										
(8673) Mill Landing Rd	0.82	1000	G	95%	1%	2%	2%	0%	0%	F	0.093	F	0.581	1100	G	2005
						From: Morris Neck Rd										
						To: Nannys Creek Rd										
(8673) Nannys Creek Rd	1.49	560	G	95%	1%	2%	2%	0%	0%	C	0.112	F	0.559	610	G	2005
						From: Mill Landing Rd										
						To: Muddys Creek Rd										
(8673) Muddy Creek Rd	1.30	270	G	95%	1%	2%	2%	0%	0%	F	0.126	F	0.663	300	G	2005
						From: Nannys Creek Rd										
						To: Gum Bridge Rd										
(8673) Muddy Creek Rd	4.52	220	G	95%	1%	2%	2%	0%	0%	F	0.147	F	0.554	240	G	2005
						From: Indian River Rd										
(8673) New Bridge Rd	1.28	2000	G	95%	1%	2%	2%	0%	0%	F	0.098	F	0.584	2100	G	2005
						From: Sandbridge Rd										
						To: Lotus Dr										
(8673) Sandbridge Rd	3.07	9700	G	95%	1%	2%	2%	0%	0%	F	0.088	F	0.541	11000	G	2005
						From: Sandpiper Rd										
(8676) Bayside Rd	0.65	3300	G	99%	0%	1%	0%	0%	0%	F	0.094	F	0.692	3600	G	2005
						From: Diamond Springs Rd										
						To: Northampton Blvd										
(8677) Jack Frost Rd	1.00	2300	G	99%	0%	1%	0%	0%	0%	F	0.092	F	0.545	2600	G	2005
						From: Northampton Blvd										
						To: Shore Dr										
(8678) Sullivan Blvd	0.56	2200	G	96%	2%	1%	1%	0%	0%	F	0.105	F	0.553	2400	G	2005
						From: Witchduck Rd										
						To: Aragona Blvd										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(8678) Sullivan Blvd	0.50	3600	G	96%	2%	1%	1%	0%	0%	F	0.111	F	0.579	3900	G	2005
						From: Aragona Blvd										
(8678) Newtown Rd	0.90	7300	F	96%	2%	1%	1%	0%	0%	C	0.096	F	0.561	7900	F	2005
						From: Haygood Rd										
(8678) Newtown Rd	0.46	26000	G	99%	0%	1%	0%	0%	0%	C	0.077	F	0.517	28000	G	2005
						From: Diamond Springs Rd										
(8678) Newtown Rd	0.23	39000	G	99%	0%	1%	0%	0%	0%	F	0.078	F	0.509	42000	G	2005
						From: Baker Rd										
(8678) Susquehanna Dr	1.19	2100	G	99%	0%	1%	0%	0%	0%	C	0.099	F	0.505	2300	G	2005
						From: ECL Norfolk Newtown Rd										
						To: SR 165 Princess Anne Rd										
(8679) Aragona Blvd	0.63	3700	G	99%	0%	1%	0%	0%	0%	F	0.099	F	0.527	4100	G	2005
						From: Va Beach Blvd										
(8679) Aragona Blvd	0.33	6200	G	99%	0%	1%	0%	0%	0%	F	0.109	F	0.570	6800	G	2005
						From: Kellam Rd										
(8679) Aragona Blvd	0.91	6700	G	99%	0%	1%	0%	0%	0%	C	0.113	F	0.588	7300	G	2005
						From: Witchduck Rd										
						To: Haygood Rd										
(8680) Thoroughgood Dr	0.05	1600	G	99%	0%	1%	0%	0%	0%	F	0.099	F	0.659	1700	G	2005
						From: Hermitage Rd										
						To: Whitethorn Rd										
(8680) Hermitage Rd	0.87	910	G	99%	0%	1%	0%	0%	0%	F	0.096	F	0.609	1000	G	2005
						From: Thoroughgood Dr										
						To: Whitehorn Rd										
(8681) Pleasure House Rd	0.26	19000	G	98%	0%	1%	0%	0%	0%	F	0.084	F	0.572	21000	G	2005
						From: Independence Blvd										
						To: First Ct Rd										
(8681) Pleasure House Rd	0.17	14000	G	98%	0%	1%	0%	0%	0%	F	0.086	F	0.583	16000	G	2005
						From: Northampton Blvd										
(8681) Pleasure House Rd	0.38	11000	G	98%	0%	1%	0%	0%	0%	C	0.081	F	0.594	12000	G	2005
						From: Shore Dr										
(8681) Pleasure House Rd	0.90	8500	G	98%	0%	1%	0%	0%	0%	F	0.085	F	0.617	9300	G	2005
						From: Lookout Rd										
(8683) Witchduck Rd (North Le	0.47	6800	G	98%	0%	1%	1%	0%	0%	F	0.096	F	0.605	7400	G	2005
						From: Moraine Ct										
						To: SR 225 Independence Blvd										
(8683) Witchduck Rd	0.80	1800	G	98%	0%	1%	1%	0%	0%	C	0.085	F	0.528	1900	G	2005
						From: Independence Blvd										
						To: Wishart Rd										
(8683) Witchduck Rd	0.39	780	G	98%	0%	1%	1%	0%	0%	F	0.098	F	0.558	860	G	2005
						From: Sherwood Lane										
(8684) 21st Street	0.60	16000	G	98%	0%	1%	0%	0%	0%	C	0.086	F		18000	G	2005
						From: Parks Ave										
						To: Atlantic Ave										
(8685) London Bridge Rd	1.34	25000	G	98%	0%	1%	1%	0%	0%	F	0.093	F	0.632	27000	G	2005
						From: Shipps Corner Rd										
(8685) London Bridge Rd	2.06	15000	G	98%	0%	1%	1%	0%	0%	C	0.098	F	0.541	16000	G	2005
						From: International Pkwy										
(8685) Great Neck Rd	0.42	16000	G	98%	0%	1%	1%	0%	0%	F	0.092	F	0.553	18000	G	2005
						From: Potters Rd										
						To: Va Beach Blvd										
(8687) Shipps Corner Rd	0.81	5800	G	98%	0%	0%	1%	0%	0%	F	0.114	F	0.716	6400	G	2005
						From: Holland Rd										
						To: London Bridge Rd										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(8687) London Bridge Rd	1.18	8200	G	98%	0%	0%	1%	0%	0%	F	0.093	F	0.705	9000	G	2005
						From: Shipps Corner Rd										
						To: Dam Neck Rd										
(8687) London Bridge Rd	0.48	21000	G	98%	0%	0%	1%	0%	0%	C	0.091	F	0.682	23000	G	2005
						From: Harpers Rd										
						To: General Booth Blvd										
(8687) London Bridge Rd	2.11	19000	G	98%	0%	0%	1%	0%	0%	F	0.091	F	0.650	21000	G	2005
						From: Holland Rd										
(8688) Dam Neck Rd	1.70	43000	G	99%	0%	0%	0%	0%	0%	F	0.084	F	0.559	47000	G	2005
						From: London Bridge Rd										
(8688) Dam Neck Rd	0.61	28000	G	99%	0%	0%	0%	0%	0%	F	0.086	F	0.542	31000	G	2005
						From: Harpers Rd										
(8688) Dam Neck Rd	2.19	24000	G	99%	0%	0%	0%	0%	0%	C	0.086	F	0.509	26000	G	2005
						From: General Booth Blvd										
(8688) Dam Neck Rd	2.02	15000	G	99%	0%	0%	0%	0%	0%	F	0.097	F	0.81	17000	G	2005
						From: USN Training Center										
(8689) Entrada Dr	0.68	2200	G	99%	0%	0%	0%	0%	0%	F	0.092	F	0.514	2400	G	2005
						From: Sandbridge Rd										
						To: Atwoodtown Rd										
(8690) Harpers Rd	2.87	8300	G	99%	0%	0%	0%	0%	0%	C	0.110	F	0.651	9000	G	2005
						From: London Bridge Rd										
						To: Oceana Blvd										
(8691) West Neck Rd	3.08	2400	G	96%	0%	1%	2%	0%	0%	F	0.097	F	0.717	2700	G	2005
						From: Princess Anne Rd										
(8691) West Neck Rd	2.05	4600	G	96%	0%	1%	2%	0%	0%	C	0.085	F	0.663	5100	G	2005
						From: Indian River Rd										
						To: North Landing Rd										
(8692) Ferrell Pkwy	0.44	48000	G	98%	0%	0%	1%	1%	0%	F	0.077	F	0.504	52000	G	2005
						From: Indian River Rd										
						To: Indian Lakes Rd										
(8692) Ferrell Pkwy	0.84	39000	G	98%	0%	0%	1%	1%	0%	C	0.081	F	0.528	43000	G	2005
						From: Indian Lakes Blvd										
						To: Pleasant Valley Rd										
(8692) Ferrell Parkway	1.38	38000	G	98%	0%	0%	1%	1%	0%	F	0.078	F	0.506	42000	G	2005
						From: 134-8824 Pleasant Valley Rd										
						To: SR 165										
(8693) Indian Lakes Blvd	0.43	16000	G	99%	0%	0%	0%	0%	0%	C	0.082	F	0.528	17000	G	2005
						From: Indian River Rd										
(8693) Indian Lakes Blvd	0.78	7500	G	99%	0%	0%	0%	0%	0%	F	0.108	F	0.646	8200	G	2005
						From: Ferrell Pkwy										
						To: Stratford Chase Dr										
(8698) Pembroke Blvd	0.21	4100	G	99%	0%	0%	0%	0%	0%	F	0.090	F	0.545	4500	G	2005
						From: Independence Blvd										
(8698) Pembroke Blvd	0.30	3000	G	99%	0%	0%	0%	0%	0%	F	0.108	F	0.676	3300	G	2005
						From: Cathedral Dr										
						To: St Martin Dr										
(8700) Alicia Dr	0.18	1600	G	99%	0%	0%	0%	0%	0%	F	0.099	F	0.714	1700	G	2005
						From: Baxter Rd										
						To: Dolton Dr										
(8700) Bonney Rd	1.17	6500	G	99%	0%	0%	0%	0%	0%	C	0.122	F	0.813	7100	G	2005
						From: Baxter Rd										
						To: Witchduck Rd										
(8702) Broad Bay Rd	0.96	2500	G	99%	0%	0%	0%	0%	0%	F	0.084	F	0.61	2700	G	2005
						From: Great Neck Rd										
						To: Lone Pine Rd										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(8705) First Court Rd	1.55	7300	G	98%	1%	1%	0%	0%	0%	F	0.093	F	0.686	8000	G	2005
						From: Pleasure House Rd										
						To: Shore Dr										
(8705) Indian Hill Rd	0.47	1900	G	98%	1%	1%	0%	0%	0%	C	0.092	F	0.595	2100	G	2005
						From: Lookout Rd										
						To: Indian Hill Rd										
(8705) Lookout Rd	0.95	1600	G	98%	1%	1%	0%	0%	0%	F	0.090	F	0.554	1700	G	2005
						From: Pleasure House Rd										
						To: Pleasure House Rd										
(8706) Bells Rd	0.44	4000	G	99%	0%	0%	0%	0%	0%	F	0.081	F	0.51	4300	G	2005
						From: Oceana Blvd										
						To: Birdneck Rd										
(8707) Ferry Plantation Rd	0.62	5600	G	99%	0%	0%	0%	0%	0%	F	0.100	F	0.584	6200	G	2005
						From: Witchduck Rd										
						To: Haygood Rd										
(8708) Jeanne St	0.37	2100	G	98%	1%	1%	0%	0%	0%	C	0.124	F	0.655	2300	G	2005
						From: 134-8749 Kellam Rd										
						To: Independence Blvd										
(8708) Jeanne St	0.23	10000	G	98%	1%	1%	0%	0%	0%	F	0.110	F	0.57	11000	G	2005
						From: Constitution Dr										
						To: Constitution Dr										
(8709) Five Forks Rd	0.78	690	G	99%	0%	0%	0%	0%	0%	C	0.106	F	0.547	760	G	2005
						From: Red Coat Rd										
						To: Bromfield Rd										
(8709) Bromfield Rd	0.11	210	G	99%	0%	0%	0%	0%	0%	F	0.107	F	0.72	220	G	2005
						From: Five Forks Rd										
						To: Ewell Rd										
(8709) Ewell Rd	0.12	1600	G	99%	0%	0%	0%	0%	0%	F	0.1	F	0.505	1800	G	2005
						From: Bromfield Rd										
						To: SR 225 Independence Blvd										
(8709) Five Forks Rd	0.55	1100	G	99%	0%	0%	0%	0%	0%	F	0.101	F	0.639	1200	G	2005
						From: Hermitage Rd										
						To: Hermitage Rd										
(8710) Laurel Cove Dr	0.74	1700	G	99%	0%	0%	0%	0%	0%	F	0.103	F	0.595	1900	G	2005
						From: Schooner Lane										
						To: Great Neck Rd										
(8711) Lynnhaven Rd	0.61	11000	G	99%	0%	0%	0%	0%	0%	F	0.091	F	0.510	12000	G	2005
						From: Lynnhaven Pkwy										
						To: Va Beach Blvd										
(8711) Lynnhaven Rd	0.55	11000	G	99%	0%	0%	0%	0%	0%	F	0.087	F	0.627	12000	G	2005
						From: Kings Grant Rd										
						To: Kings Grant Rd										
(8711) Lynnhaven Rd	0.89	3900	G	99%	0%	0%	0%	0%	0%	F	0.082	F	0.584	4300	G	2005
						From: Little Neck Rd										
						To: Lynnhaven Rd										
(8711) Little Neck Rd	0.51	13000	G	99%	0%	0%	0%	0%	0%	C	0.092	F	0.640	14000	G	2005
						From: Newcastle Rd										
						To: New Castle Rd										
(8711) Little Neck Rd	1.82	3700	G	99%	0%	0%	0%	0%	0%	F	0.085	F	0.577	4000	G	2005
						From: Little Neck Rd										
						To: Little Neck Rd										
(8712) S. Plantation Dr	0.25	490	G	99%	0%	1%	0%	0%	0%	C	0.106	F	0.589	540	G	2005
						From: N. Wolfsnare Drive										
						To: SR 279 Great Neck Road										
(8713) Regency Dr	0.41	5800	G	99%	0%	0%	0%	0%	0%	F	0.099	F	0.523	6300	G	2005
						From: Laskin Rd										
						To: Wolfsnare Rd										
(8714) Wolfsnare Rd	1.33	4500	G	99%	0%	0%	0%	0%	0%	F	0.097	F	0.642	4900	G	2005
						From: Greatneck Rd										
						To: First Colonial Rd										
(8715) Mill Dam Rd	0.60	8000	G	98%	1%	1%	0%	0%	0%	C	0.086	F	0.526	8700	G	2005
						From: First Colonial Rd										
						To: Woodhouse Rd										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(8715) Mill Dam Rd	0.60	8500	G	98%	1%	1%	0%	0%	0%	F	0.09	F	0.54	9300	G	2005
(8716) Woodhouse Rd	1.10	3300	G	98%	0%	1%	0%	1%	0%	C	0.082	F	0.583	3600	G	2005
(8716) Alanton Dr	0.25	310	G	98%	0%	1%	0%	1%	0%	F	0.115	F	0.649	340	G	2005
(8717) Lynnhaven Pkwy	0.42	1300	G	99%	0%	1%	0%	0%	0%	F	0.096	F	0.674	1500	G	2005
(8717) Lynnhaven Pkwy	0.45	3900	G	99%	0%	1%	0%	0%	0%	F	0.093	F	0.666	4300	G	2005
(8717) Lynnhaven Pkwy	1.24	9700	G	99%	0%	1%	0%	0%	0%	F	0.104	F	0.529	11000	G	2005
(8717) Lynnhaven Pkwy	1.97	23000	G	99%	0%	1%	0%	0%	0%	C	0.086	F	0.577	25000	G	2005
(8717) Lynnhaven Pkwy	0.47	23000	G	99%	0%	1%	0%	0%	0%	F	0.08	F	0.572	25000	G	2005
(8717) Lynnhaven Pkwy	0.67	26000	G	99%	0%	1%	0%	0%	0%	F	0.076	F	0.565	29000	G	2005
(8717) Lynnhaven Pkwy	0.56	36000	G	99%	0%	1%	0%	0%	0%	F	0.079	F	0.543	40000	G	2005
(8717) Lynnhaven Pkwy	0.90	30000	G	99%	0%	1%	0%	0%	0%	F	0.077	F	0.548	33000	G	2005
(8718) York Lane	0.24	1900	G	99%	0%	1%	0%	0%	0%	F	0.099	F	0.615	2100	G	2005
(8718) Cavalier Dr	0.78	3600	G	99%	0%	1%	0%	0%	0%	C	0.087	F	0.609	3900	G	2005
(8718) Cavalier Dr	0.02	NA									NA		NA			
(8719) Atlantic Ave	0.28	8100	G	96%	1%	3%	0%	0%	0%	C	0.079	F	0.516	8900	G	2005
(8719) Atlantic Ave	1.52	5600	G	96%	1%	3%	0%	0%	0%	F	0.078	F	0.531	6200	G	2005
(8721) Baltic Ave	1.00	8000	G	99%	0%	0%	0%	0%	0%	F	0.095	F	0.589	8800	G	2005
(8721) Holly Rd	0.80	8200	G	99%	0%	0%	0%	0%	0%	C	0.090	F	0.675	9000	G	2005
(8722) 22nd Street	0.53	12000	G	98%	0%	1%	0%	0%	0%	C	0.104	F		14000	G	2005
(8722) 22nd Street	0.07	2400	G	98%	0%	1%	0%	0%	0%	F	0.078	F		2600	G	2005
(8723) Birdneck Rd	0.15	2600	G	99%	0%	1%	0%	0%	0%	C	0.143	F	0.811	2800	G	2005
(8723) Birdneck Rd	0.40	5600	G	98%	0%	1%	0%	0%	0%	F	0.108	F	0.758	6100	G	2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(8723) Birdneck Rd	2.52	19000	G	98%	0%	1%	0%	0%	0%	C	0.083	F	0.519	21000	G	2005
			From: General Booth Blvd													
(8723) Birdneck Rd	0.37	35000	G	98%	0%	1%	0%	0%	0%	F	0.08	F	0.528	38000	G	2005
			From: Va Beach Blvd													
(8723) Birdneck Rd	0.55	25000	G	98%	0%	1%	0%	0%	0%	F	0.082	F	0.532	28000	G	2005
			From: Va Beach-Norfolk Exp													
(8723) Cardinal Rd	0.48	2300	G	98%	0%	1%	0%	0%	0%	F	0.086	F	0.512	2500	G	2005
			From: Laskin Rd													
			To: Kamichi Pl													
(8724) Norfolk Ave	0.67	12000	G	98%	0%	1%	0%	0%	0%	F	0.08	F	0.593	14000	G	2005
			From: Birdneck Rd													
(8724) Norfolk Ave	0.73	7000	G	98%	0%	1%	0%	0%	0%	C	0.078	F	0.539	7600	G	2005
			From: Ocean Villas Way													
(8724) Norfolk Ave	0.07	4000	G	98%	0%	1%	0%	0%	0%	F	0.081	F	0.7	4400	G	2005
			From: Pacific Ave													
			To: Atlantic Ave													
(8725) Kings Arms Rd	0.44	740	G	99%	0%	1%	0%	0%	0%	F	0.144	F	0.540	810	G	2005
			From: Lynnhaven Pkwy													
			To: Bow Creek Blvd													
(8726) Lynnhaven Rd	1.98	18000	G	99%	0%	1%	0%	0%	0%	C	0.111	F	0.506	19000	G	2005
			From: Lynnhaven Pkwy													
(8726) Potters Rd	0.93	16000	G	99%	0%	1%	0%	0%	0%	F	0.087	F	0.535	17000	G	2005
			From: Lynnhaven Pkwy													
(8726) Potters Rd	2.09	4500	G	99%	0%	1%	0%	0%	0%	F	0.087	F	0.647	4900	G	2005
			From: Great Neck Rd													
			To: First Colonial Rd													
(8727) Winwood Rd	0.23	890	G	99%	0%	0%	0%	0%	0%	F	0.097	F	0.591	980	G	2005
			From: Laskin Rd													
			To: Wolfsnare Rd													
(8729) Oceana Blvd	0.97	33000	N	99%	0%	0%	0%	0%	0%	N	0.089	N	0.55	36000	N	2005
			From: 34-8669 General Booth Blvd													
(8729) Oceana Blvd	2.98	33000	A	99%	0%	0%	0%	0%	0%	C	0.089	A	0.55	36000	A	2005
			From: Tomcat Blvd													
			To: US 58 Virginia Beach Blvd													
(8730) N Parliament Dr	0.91	3300	G	99%	0%	0%	0%	0%	0%	F	0.089	F	0.564	3600	G	2005
			From: Princess Anne Rd													
(8730) S Parliament Dr	0.52	4400	G	99%	0%	0%	0%	0%	0%	F	0.092	F	0.563	4800	G	2005
			From: South Parliament Dr													
			To: N Parliament Dr													
			To: Princess Anne Rd													
(8731) Whitehurst Landing Rd	0.51	3800	G	97%	0%	1%	0%	1%	0%	F	0.092	F	0.504	4100	G	2005
			From: Kempsville Rd													
(8731) Whitehurst Landing Rd	0.40	3600	G	97%	0%	1%	0%	1%	0%	F	0.094	F	0.659	3900	G	2005
			From: Branchwood Way													
			To: Providence Rd													
(8732) Thalia Road	0.44	4700	G	98%	0%	1%	0%	0%	0%	F	0.095	F	0.631	5200	G	2005
			From: Va Beach Blvd													
(8732) Edinburgh Dr	0.51	2200	G	98%	0%	1%	0%	0%	0%	C	0.109	F	0.535	2400	G	2005
			From: Edinburgh Dr													
			To: Thalia Rd													
(8732) Edinburgh Dr	1.08	3200	G	97%	0%	1%	0%	1%	0%	F	0.111	F	0.535	3500	G	2005
			From: Lynn Shores Dr													
			To: Little Neck Rd													

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(8733) Plaza Trail	0.51	10000	G	97%	0%	1%	0%	1%	0%	F	0.098	F	0.545	11000	G	2005
			From: Independence Blvd													
			To: Holland Rd													
(8733) Plaza Trail	1.63	10000	G	97%	0%	1%	0%	1%	0%	C	0.100	F	0.521	11000	G	2005
			From: Rosemont Rd													
			To: Virginia Beach Blvd													
(8733) Plaza Trail	1.12	11000	G	97%	0%	1%	0%	1%	0%	F	0.112	F	0.572	11000	G	2005
			From: Va Beach Blvd													
			To: Lynnhaven Rd													
(8733) Little Neck Rd	1.04	17000	G	97%	0%	1%	0%	1%	0%	F	0.090	F	0.633	18000	G	2005
			From: Princess Anne Rd													
			To: Independence Blvd													
(8734) Windsor Oaks	0.87	6900	G	99%	0%	1%	0%	0%	0%	F	0.104	F	0.525	7500	G	2005
			From: Holland Rd													
			To: 134-8733 S Plaza Trail													
(8734) Windsor Oaks Blvd	0.50	5800	G	99%	0%	1%	0%	0%	0%	F	0.1	F	0.543	6300	G	2005
			From: Princess Anne Rd													
			To: Independence Blvd													
(8736) Baxter Rd	0.95	24000	G	99%	0%	1%	0%	0%	0%	C	0.094	F	0.648	26000	G	2005
			From: Providence Rd													
			To: Princess Anne Rd													
(8737) Edwin Dr	0.64	4900	G	98%	1%	0%	0%	1%	0%	F	0.1	F	0.636	5400	G	2005
			From: Princess Anne Rd													
			To: Gleneagle Dr													
(8737) Edwin Dr	0.78	4700	G	98%	1%	0%	0%	1%	0%	C	0.102	F	0.623	5200	G	2005
			From: Independence Blvd													
			To: South Blvd													
(8737) Edwin Dr	0.31	5800	G	98%	1%	0%	0%	1%	0%	F	0.098	F	0.652	6400	G	2005
			From: Independence Blvd													
			To: South Blvd													
(8737) Edwin Dr	0.53	3800	G	98%	1%	0%	0%	1%	0%	F	0.107	F	0.524	4100	G	2005
			From: Va Beach Blvd													
			To: Cleveland St													
(8738) Dorset Ave	0.13	4300	G	99%	0%	0%	0%	0%	0%	F	NA			4600	G	2005
			From: Independence St													
			To: Independence Blvd													
(8738) Euclid Rd	1.14	6000	G	99%	0%	0%	0%	0%	0%	F	0.096	F	0.682	6600	G	2005
			From: Independence Blvd													
			To: Rosemont Rd													
(8738) Bonney Rd	2.38	16000	G	99%	0%	0%	0%	0%	0%	C	0.095	F	0.587	18000	G	2005
			From: Dam Neck Rd													
			To: Buckner Blvd													
(8739) Rosemont Rd	0.93	11000	G	98%	0%	1%	0%	0%	0%	F	0.091	F	0.506	12000	G	2005
			From: Lynnhaven Pkwy													
			To: Holland Rd													
(8739) Rosemont Rd	0.51	16000	G	98%	0%	1%	0%	0%	0%	C	0.09	F	0.567	17000	G	2005
			From: Columbus St													
			To: Va Beach Blvd													
(8739) Rosemont Rd	0.63	20000	G	98%	0%	1%	0%	0%	0%	F	0.088	F	0.573	22000	G	2005
			From: Independence Blvd													
			To: Witchduct Rd													
(8740) Constitution Dr	0.18	8200	G	98%	1%	1%	0%	0%	0%	F	0.087	F	0.520	8900	G	2005
			From: Va Beach Blvd													
			To: Independence Blvd													
(8740) Constitution Dr	0.88	10000	G	98%	1%	1%	0%	0%	0%	C	0.109	F	0.542	11000	G	2005
			From: Independence Blvd													
			To: Witchduct Rd													
(8740) Jericho Rd	0.46	2200	G	98%	1%	1%	0%	0%	0%	F	0.101	F	0.521	2400	G	2005
			From: S Plaza Trail													
			To: Rosemont Rd													
(8742) Old Forge Rd	0.76	1600	G	98%	1%	1%	0%	0%	0%	F	0.116	F	0.5	1800	G	2005
			From: Rosemont Rd													
			To: Lynnhaven Rd													
(8744) Bow Creek Blvd	1.46	7400	G	98%	1%	1%	0%	0%	0%	F	0.110	F	0.613	8100	G	2005
			From: Rosemont Rd													
			To: Lynnhaven Rd													

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
City of Virginia Beach																	
(8746) St Marshall Rd	0.13	1400	G	99%	0%	1%	0%	0%	0%	F	0.101	F	0.694	1500	G	2005	
						From: Great Neck Road											
						To: North Plantation Dr											
(8747) King's Grant Dr	1.01	5300	G	99%	0%	1%	0%	0%	0%	F	0.083	F	0.671	5800	G	2005	
						From: Lynnhaven Rd											
						To: Little Neck Rd											
(8748) Chester St	0.32	1500	G	98%	1%	1%	0%	0%	0%	F	0.116	F	0.752	1600	G	2005	
						From: Rosemont Rd											
						To: Victoria Dr											
(8748) Dillon Dr	0.81	5400	G	98%	1%	1%	0%	0%	0%	F	0.106	F	0.519	5900	G	2005	
						From: Continental St											
						To: Silina Dr											
(8749) Kellam Rd	0.19	4300	G	99%	0%	0%	0%	0%	0%	F	0.116	F	0.554	4700	G	2005	
						From: Columbus St											
						To: Va Beach Blvd											
(8749) Kellam Rd	0.98	3900	G	99%	0%	0%	0%	0%	0%	C	0.114	F	0.536	4200	G	2005	
						From: Witchduck Rd											
						To: Rosemont Rd											
(8750) Silina Dr	1.00	9200	G	98%	1%	1%	0%	0%	0%	F	0.106	F	0.589	10000	G	2005	
						From: Lynnhaven Rd											
						To: Va Beach Blvd											
(8751) Malibu Dr	0.42	1400	G	98%	1%	1%	0%	0%	0%	F	0.104	F	0.652	1600	G	2005	
						From: Edinburg Dr											
						To: Va Beach Blvd											
(8752) Lynn Shores Dr	0.51	3400	G	99%	0%	0%	0%	0%	0%	C	0.086	F	0.635	3800	G	2005	
						From: Edinburg Dr											
						To: Thalia Dr											
(8752) Lynn Shores Dr	0.35	1300	G	99%	0%	0%	0%	0%	0%	F	0.091	F	0.556	1400	G	2005	
						From: Lynn Shores Rd											
						To: Thalia Rd											
(8752) Thalia Dr	0.49	1000	G	99%	0%	0%	0%	0%	0%	F	0.098	F	0.629	1100	G	2005	
						From: Bayside Rd											
						To: Aragon Rd											
(8764) Janke Rd	0.48	1100	G	98%	1%	1%	0%	0%	0%	F	0.087	F	0.629	1200	G	2005	
						From: First Colonial Rd											
						To: Oceana Blvd											
(8774) Southern Blvd	0.39	340	G	84%	12%	4%	0%	0%	0%	C	0.118	F	0.587	370	G	2005	
						From: Lynnhaven Pkwy											
						To: Brandon Blvd											
(8779) Landstown Rd	2.34	3100	G	98%	0%	1%	0%	0%	0%	C	0.115	F	0.666	3400	G	2005	
						From: Dam Neck Rd											
						To: Princess Anne Rd											
(8779) Dam Neck Rd	1.01	32000	G	98%	0%	1%	0%	0%	0%	F	0.090	F	0.536	35000	G	2005	
						From: Holland Rd											
						To: Marlin Lane											
(8781) Sandpiper Rd	0.95	650	G	98%	0%	1%	0%	0%	0%	F	0.094	F	0.649	710	G	2005	
						From: Sandbridge Rd											
						To: Atwoodtown Rd											
(8783) Sandbridge Rd	1.63	13000	G	98%	0%	1%	1%	0%	0%	C	0.084	F	0.534	14000	G	2005	
						From: Lotus Dr											
						To: Princess Anne Rd											
(8785) Haygood Rd	0.29	2900	G	98%	0%	1%	1%	0%	0%	F	NA			3100	G	2005	
						From: Newtown Rd											
						To: Wesleyan Dr											

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(8786) South Blvd	0.70	5800	G	99%	0%	From: Independence Blvd To: Edwin Dr				F	0.118	F	0.671	6400	G	2005
(8786) South Blvd	0.59	5200	G	99%	0%	From: Edwin Dr To: West Colonial Pkwy				C	0.107	F	0.657	5700	G	2005
(8786) South Blvd	0.59	2400	G	99%	0%	From: West Colonial Pkwy To: Palace Green South Blvd				F	0.106	F	0.594	2600	G	2005
(8786) Palace Green Blvd	0.27	1800	G	99%	0%	From: Palace Green South Blvd To: Plaza Trail S				F	0.112	F	0.571	1900	G	2005
(8805) Elbow Rd	0.26	5400	G	98%	0%	From: ECL Chesapeake To: Indian River Rd				F	0.121	F	0.632	5900	G	2005
(8805) Elbow Rd	1.10	4400	G	98%	0%	From: Indian River Rd To: Salem Rd				C	0.111	F	0.534	4800	G	2005
(8816) Kings Grant Rd	1.24	5100	G	99%	0%	From: Winthrope Dr To: Little Neck Rd				C	0.123	F	0.604	5600	G	2005
(8817) Inlynnview Rd	0.66	3100	G	99%	0%	From: Five Point Rd To: Great Neck Rd				F	0.081	F	0.557	3400	G	2005
(8817) Old Donation Pkwy	0.94	6300	G	99%	0%	From: Great Neck Rd To: First Colonial Rd				C	0.086	F	0.633	6900	G	2005
(8818) 19th Street	0.59	5400	G	99%	0%	From: Birdneck Rd To: Parks Ave				F	0.084	F	0.614	5900	G	2005
(8818) 19th Street	0.52	5500	G	99%	0%	From: Parks Ave To: Atlantic Ave				F	0.093	F	0.679	6000	G	2005
(8819) Greenwich Rd	1.64	6500	G	99%	0%	From: Newtown Rd To: Witchduck Rd				C	0.108	F	0.643	7100	G	2005
(8820) College Park Blvd	1.01	5200	G	99%	0%	From: Drew Dr To: Providence Rd				F	0.097	F	0.574	5700	G	2005
(8821) Drew Dr	0.57	2500	G	99%	0%	From: ECL Norfolk To: Level Green Blvd Drew Dr				F	0.112	F	0.607	2800	G	2005
(8821) Level Green Blvd	0.88	3100	G	99%	0%	From: Level Green Blvd Drew Dr To: Indian River Rd				F	0.084	F	0.576	3400	G	2005
(8822) Beaufain Blvd	0.46	2900	G	99%	0%	From: Legarde Lane To: Kempsville Rd				F	0.102	F	0.664	3200	G	2005
(8822) Brandon Blvd	0.73	3500	G	99%	0%	From: Kempsville Rd To: Centerville Tpke				F	0.124	F	0.760	3800	G	2005
(8823) Stratford Chase Dr	0.66	2900	G	99%	0%	From: Kempsville Rd To: Indian Lakes Blvd				F	0.131	F	0.747	3200	G	2005
(8824) Pleasant Valley Rd	0.74	4900	G	99%	0%	From: Indian Lakes Blvd To: Ferrell Pkwy				F	0.11	F	0.605	5400	G	2005
(8826) Timberlake Dr	0.54	3400	G	99%	0%	From: Providence Rd To: Princess Anne Rd				F	0.093	F	0.539	3700	G	2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(8827) Stoneshore Rd	0.53	1400	G	99%	0%	0%	0%	0%	0%	F	0.124	F	0.626	1500	G	2005
			From: Rosemont Rd													
			To: Holland Rd													
(8827) Stoneshore Rd	0.22	3400	G	99%	0%	0%	0%	0%	0%	F	0.124	F	0.649	3800	G	2005
			From: Riverbend Rd													
			To: Lynnhaven Pkwy													
(8828) Riverbend Rd	0.71	1800	G	99%	0%	0%	0%	0%	0%	F	0.111	F	0.619	1900	G	2005
			From: Lakecrest Rd													
			To: Lynnhaven Pkwy													
(8829) Dahlia Dr	0.66	4800	G	99%	0%	0%	0%	0%	0%	F	0.099	F	0.577	5300	G	2005
			From: Independence Blvd													
			To: Independence Blvd													
(8829) Dahlia Dr	0.82	7100	G	99%	0%	0%	0%	0%	0%	F	0.106	F	0.523	7700	G	2005
			From: Rosemont Rd													
			To: Rosemont Rd													
(8829) Dahlia Dr	0.59	3900	G	99%	0%	0%	0%	0%	0%	F	0.11	F	0.574	4300	G	2005
			From: Green Garden Cir													
			To: Green Garden Cir													
(8829) Green Run Blvd	0.17	2500	G	99%	0%	0%	0%	0%	0%	F	0.104	F	0.561	2800	G	2005
			From: Holland Rd													
			To: Holland Rd													
(8830) Chimney Hill Pkwy	0.55	6700	G	99%	0%	0%	0%	0%	0%	F	0.086	F	0.528	7300	G	2005
			From: Campion Ave													
			To: Holland Rd													
(8831) Magic Hollow Blvd	1.18	1300	G	99%	0%	0%	0%	0%	0%	F	0.114	F	0.644	1400	G	2005
			From: Lynnhaven Pkwy S													
			To: Lynnhaven Pkwy N													
(8832) Green Meadows Dr	0.82	3600	G	99%	0%	0%	0%	0%	0%	F	0.091	F	0.527	4000	G	2005
			From: Princess Anne Rd													
			To: S Independence Blvd													
(8833) Foxwood Dr	0.64	1500	G	99%	0%	0%	0%	0%	0%	F	0.097	F	0.549	1600	G	2005
			From: Independence Blvd													
			To: S Plaza Trail													
15th Street		560	G								0.086	F		610	G	2005
			From: Cypress Ave													
			To: Parks Aves.													
24th Street		3300	G								0.079	F		3600	G	2005
			From: Barberton Dr													
			To: Cypress Ave													
Ambassador Dr		340	G								0.113	F		370	G	2005
			From: Overholt Dr													
			To: Parliament Dr													
Andover Rd		650	G								0.104	F		710	G	2005
			From: Acredale Rd													
			To: Olive Rd													
Aragon Dr		740	G								0.091	F		810	G	2005
			From: King William Rd													
			To: Moody Rd													
Arctic Ave		5200	G								0.084	F	0.521	5700	G	2005
			From: 24Th													
			To: 25Th Sts.													
Arrowhead Dr		2400	G								0.091	F		2700	G	2005
			From: Newtown Rd													
			To: Princess Anne Rd													
Avalon Woods		580	G								0.092	F		630	G	2005
			From: Chipstead Lane													
			To: Avalon Ave													
Baycliff Drive		2900	G	99%	0%	1%	0%	0%	0%	C	0.089	F	0.613	2900	G	2005
			From: Mill Dam Rd													
			To: Windjammer Ct													

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
Berrywood Rd		470	G								0.116	F	0.527	470	G	2005
Berwyn Rd		460	G								0.157	F		500	G	2005
Bloomfield Dr		840	G								0.123	F	0.617	840	G	2005
Bounty Rd		150	G								0.119	F	0.585	170	G	2005
Broad St		4200	G	98%	0%	1%	0%	1%	0%	C	0.098	F		4600	G	2005
Brookbridge Rd		100	G								0.148	F	0.563	110	G	2005
Buckner Blvd		12000	G	99%	0%	1%	0%	0%	0%	C	0.093	F	0.532	12000	G	2005
Burgesses Lane		510	G								0.1	F	0.567	510	G	2005
Cape Henry Dr		1600	G								0.111	F	0.535	1700	G	2005
Cardyn Dr		130	G								0.125	F		140	G	2005
Casanova Dr		150	G								0.1	F	0.733	150	G	2005
Cedar Lane		250	G								0.112	F		280	G	2005
Chicken Valley Rd		660	G								0.096	F		730	G	2005
Chicksaw Rd		210	G								0.115	F		230	G	2005
Clover St		210	G								0.099	F		230	G	2005
Coach House Lane		130	G								0.103	F		140	G	2005
Coventry Rd		350	G								0.094	F		380	G	2005
Crossborough Rd		1100	G								0.096	F		1200	G	2005
Cypress Ave		1200	G								0.079	F		1300	G	2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
Delray Dr		140	G								0.1	F		160	G	2005
Dunstan Lane		280	G								0.148	F		310	G	2005
Eastwind Rd		420	G								0.103	F		460	G	2005
Elgin Rd		290	G								0.099	F		320	G	2005
Floral St		380	G								0.11	F		410	G	2005
Gammon Rd		470	G								0.091	F	0.511	510	G	2005
Greenwell Rd		1800	G								0.09	F		2000	G	2005
Gum Bridge Road		1300	G	96%	0%	1%	3%	1%	0%	C	0.087	F	0.611	1300	G	2005
Hargrove Blvd		350	G								0.09	F		380	G	2005
Hessian Rd		550	G								0.112	F		600	G	2005
Highlands Blvd		2500	G								0.093	F		2700	G	2005
Hillview Blvd		240	G								0.129	F	0.536	270	G	2005
Historyland Dr		140	G								0.121	F		160	G	2005
Holladay Lane		1000	G								0.103	F		1100	G	2005
Honey Grove Rd		1500	G								0.102	F		1600	G	2005
Hood Dr		140	G								0.129	F	0.541	140	G	2005
Hudgins Dr		400	G								0.091	F		430	G	2005
Iverness Rd		1200	G								0.095	F		1300	G	2005
John Hancock Dr		260	G								0.116	F	0.532	260	G	2005

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
Josephine Cres		220	G								0.096	F		240	G	2005
Kenley Rd		2300	G								0.098	F	0.517	2500	G	2005
Kentucky Ave		1300	G								0.104	F		1400	G	2005
Kildeer Ct		300	G								0.107	F		320	G	2005
King William Rd		480	G								0.117	F		530	G	2005
Lake Dr		150	G								0.146	F		170	G	2005
Lake Shore Rd		300	G								0.100	F		330	G	2005
Lakeside Rd		390	G								0.109	F		430	G	2005
Lakeview Dr		170	G								0.114	F		180	G	2005
Linkhorne Dr		280	G								0.112	F	0.514	310	G	2005
Little Haven Rd		1600	G								0.084	F		1700	G	2005
MacDonald Rd		2100	G								0.093	F		2300	G	2005
Manatee Dr		410	G								0.089	F		450	G	2005
Mandan Rd		340	G								0.111	F	0.624	370	G	2005
Maryland Ave		280	G								0.109	F	0.612	300	G	2005
Meredith Rd		320	G								0.091	F		350	G	2005
Middle Lane		430	G								0.082	F		470	G	2005
Morgan Tr		280	G								0.116	F	0.625	310	G	2005
Muddy Creek Rd		580	G								0.093	F		630	G	2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
Newstead Drive		1400	G	96%	0%	From: Glen Burnie Ct				C	0.106	F	0.561	1400	G	2005
						To: Ferrel Pkwy										
Normandy Ave		400	G			From: Avalon Ave					0.105	F		440	G	2005
						To: Normandy Ct.										
Ocean View Ave		440	G			From: Lee Ave					0.097	F		480	G	2005
						To: Mortons Rd										
Ohio Ave		210	G			From: West Lane					0.114	F		230	G	2005
						To: Middle Lane										
Old Providence Rd		280	G			From: Blakely Square					0.09	F		300	G	2005
						To: Dead End										
Old Shell Rd		190	G			From: Little Neck Rd					0.122	F	0.551	200	G	2005
						To: Laurellwood Lane										
Oliver Dr		390	G			From: Pleasure House Rd					0.092	F		420	G	2005
						To: Sheldon Dr										
Owls Creek Lane		470	G			From: South Birdneck Rd					0.111	F		510	G	2005
						To: Gregorys Lane										
Palm Ave		390	G			From: Bonney Rd					0.119	F		430	G	2005
						To: Southern Blvd										
Poinciana Dr		90	G			From: Oak St					0.138	F	0.517	100	G	2005
						To: Beech St										
Pontiac Rd		1400	G			From: Cherokee Rd					0.097	F		1500	G	2005
						To: Chicasaw Rd										
Presidential Blvd		1700	G	99%	0%	1%	0%	0%	0%	C	0.112	F	0.568	1700	G	2005
						From: Starlighter Dr										
Prince Phillip Drive		700	G	99%	0%	0%	0%	0%	0%	C	0.086	F	0.6	700	G	2005
						From: Kings Grant										
Queen Elizabeth Dr		400	G			From: Grant Rd					0.097	F		440	G	2005
						To: Prince Andrew Lane										
Reagan Ave		2400	G			From: CypressWood Ct					0.087	F		2700	G	2005
						To: Femwood Ct.										
Redwood Farm Dr		560	G			From: Southfield Pl					0.099	F		610	G	2005
						To: Tweedbrook Pl										
Reynolds Dr		160	G			From: Maycraft Rd					0.135	F		170	G	2005
						To: Adam Rd										
Rose Hall Dr		1400	G			From: Great Neck Rd					0.101	F		1500	G	2005
						To: Gen. Jackson Dr										
Rumford Lane		510	G			From: Greencastle Lane					0.103	F		560	G	2005
						To: Lynn Shores Dr										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
S Head Of River Road		420	G								0.126	F		450	G	2005
Sandlewood Rd		490	G								0.088	F		540	G	2005
Sandy Bay Dr		300	G								0.111	F		330	G	2005
Scallop Rd		240	G								0.141	F		270	G	2005
Schuyler Rd		170	G								0.135	F		190	G	2005
Shell Rd		580	G								0.103	F		630	G	2005
Silina Dr		2800	G								0.113	F		3100	G	2005
Smith Lane		870	G								0.098	F		950	G	2005
Smokey Rd		160	G								0.11	F	0.75	180	G	2005
Southaven Dr		380	G								0.103	F	0.563	380	G	2005
Stanfield Rd		160	G								0.104	F		170	G	2005
Stratford Hall Dr		120	G								0.104	F		130	G	2005
Sugar Maple Dr		1300	G								0.093	F	0.613	1300	G	2005
Swallow Rd		210	G								0.111	F	0.608	230	G	2005
Terrazzo Tr		210	G								0.105	F		230	G	2005
Violet Bank Drive		310	G	99%	1%	0%	0%	0%	0%	C	0.103	F	0.656	310	G	2005
Vista Cir		2100	G								0.096	F		2300	G	2005
Washington Ave		810	G								0.081	F		890	G	2005
Westminister Lane		3100	G								0.090	F	0.538	3400	G	2005

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 City of Virginia Beach

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
Woodlake Rd		350	G			From: High Gate Cir				0.093	F		380	G	2005	
						To: Smoke Rise Lane										
Woods Edge Rd		400	G			From: Weller Blvd				0.128	F	0.558	440	G	2005	
						To: Marlwood Way										